

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"20021011" and "725"/\$.ccls. and ((stop near2 (button or icon)) with overrid\$3 with scan \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:28
L2	0	@ad<"20021011" and "725"/\$.ccls. and ((stop near2 (button or icon)) with overid\$3 with scan \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:29
L3	0	@ad<"20021011" and "725"/\$.ccls. and ((stop near2 (button or icon)) with scan\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:29
L4	0	@ad<"20021011" and "725"/\$.ccls. and (((stop or overrid\$3) near2 (button or icon)) with scan\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:29
L5	2	@ad<"20021011" and "725"/\$.ccls. and ((stop \$4 or overrid\$3) with scan\$4 with (user or viewer or subscriber) with automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:30
S1	0	wo02067447	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:05
S2	4	"02067447"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:05

S3	2	"7171174".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:06
S4	0	@ad< "20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title with source) and ((tune or tuned or tuning) with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:38
S5	0	@ad< "20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and (((tune or tuned or tuning) with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:39
S6	7	@ad< "20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and (((tune or tuned or tuning) with (condition or search\$3 or met))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:39
S7	0	@ad< "20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title with source) and ((tune or tuned or tuning) with (condition or search\$3 or met))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:39
S8	46	@ad< "20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and (((tune or tuned or tuning or display\$3 or provid\$3) with (condition or search \$3 or met or match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:40
S9	7	@ad< "20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and (((tune or tuned or tuning or display\$3 or provid\$3) with (condition or search \$3 or met or match\$3)) and (scan\$4 with (frequency or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:41

S10	21	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title) and (automatic\$5 with (present\$3 or display\$3 or output\$4) with (program\$4 or movie or show or episode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:45
S11	14	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (genre or category) with title with (user or subscriber or viewer)) and (automatic \$5 with (present\$3 or display\$3 or output\$4) with (program\$4 or movie or show or episode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:45
S12	5	@ad<"20021011" and "725"/\$.ccls. and (scan \$4 with (channel or frequency or frequencies) with (program\$4 or episode or show) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 11:52
S13	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 with source with "AND" with "OR" with title with (genre or category)) same (list with previous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
S14	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 with source with "AND" with "OR" with title with (genre or category)) same (list with populat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
S15	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with source with "AND" with "OR" with title with (genre or category))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52

S16	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with source with logical with title with (genre or category))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
S17	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with source with logical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:52
S18	0	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (source or type) with logical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
S19	3	@ad<"20021011" and "725"/\$.ccls. and (search \$3 with (source or type) with (logical or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
S20	9	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (source or type) with (logical or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
S21	0	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (source or type) with (logical or "AND" or "OR")) and ((list or option) with populat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
S22	1	@ad<"20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (source or type) with (logical or "AND" or "OR")) and ((list or option) with previous\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:53
S23	0	@ad<"20021011" and "725"/48-49.ccls. and ((search\$3 or criteria) with (source or type) with (boolean or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:58

S24	3	@ad< "20021011" and "725"/48-49.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:58
S25	1	@ad< "20021011" and "725"/48-49.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR")) and ((search\$3 or criteria) with (source or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 12:59
S26	30	@ad< "20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR")) and ((search\$3 or criteria) with (source or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:01
S27	7	@ad< "20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR")) and ((search\$3 or criteria) near3 (source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:01
S28	22	@ad< "20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06
S29	0	@ad< "20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with (set adj top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06
S30	0	@ad< "20021011" and "725"/\$.ccls. and ((search\$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with (terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06

S31	2	@ad< "20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:06
S32	22	@ad< "20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:08
S33	16	@ad< "20021011" and "725"/\$.ccls. and ((search \$3) with (boolean or "AND" or "OR") with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:08
S34	4	@ad< "20021011" and "725"/\$.ccls. and ((search \$3 or criteria) with (boolean or "AND" or "OR") with (user or viewer or subscriber) with (epg or ipg or gui or (program\$4 adj guide) or interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:09
S35	1	@ad< "20021011" and "725"/\$.ccls. and (restart \$3 with search\$3 with (state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:12
S36	2	@ad< "20021011" and "725"/\$.ccls. and (restart \$3 with search\$3 with (state or halt\$3 or previous\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:14
S37	2	@ad< "20021011" and (restart\$3 with search\$3 with state with (halted or stopped))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:15
S38	5	@ad< "20021011" and (restart\$3 with search\$3 with state with (stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:16

S39	57	@ad< "20021011" and (restart\$3 with search\$3 with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:17
S40	3	@ad< "20021011" and (tv or television) and (restart\$3 with search\$3 with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:17
S41	1	@ad< "20021011" and (restart\$3 with search\$3 with state with stopped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
S42	0	@ad< "20021011" and (restart\$3 with search\$3 with state with paused)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
S43	1	@ad< "20021011" and (restart\$3 with search\$3 with state with pause)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
S44	1	@ad< "20021011" and (restart\$3 with search\$3 with state with paus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
S45	57	@ad< "20021011" and (restart\$3 with search\$3 with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:19
S46	1	@ad< "20021011" and "725"/\$.ccls. and (restart \$3 with search\$3 with (halt\$3 or stop\$3 or paus \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:26

S47	85	@ad<"20021011" and (restart\$3 with search\$3 with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:26
S48	66	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:27
S49	1	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3) with previous \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:27
S50	2	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3) with (state or place or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:28
S51	66	@ad<"20021011" and (restart\$3 with search with (halt\$3 or stop\$3 or paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/16 13:28

10/ 26/ 2009 11:20:53 AM

C:\Documents and Settings\jshepard\ My Documents\ EAST\ Workspaces\ sari_10678214.
wsp